



ECO PUSH-IN FITTINGS

SOLUTIONS AND SERVICE

Technical Data

Please note:

Fittings with taper threads maybe supplied with a pre-coated thread sealant. Fittings with parallel threads are fitted with an O-ring seal.

Technical Data: Fittings

Fluid	Air, Vacuum
Operating Pressure	0 to 145 psi (0 to 10 bar)
Vacuum	-14.5 psi (-1 bar)
Operating Temperature	
Technopolymer Fittings	0 to +60°C
Tube	Nylon, Polyurethane

The overall dimensions and technical information are provided solely for information and may be subject to change without notice.



Welcome to our Eco Push-In Fittings catalogue

This Eco Push-In Fittings catalogue features our extensive range of technopolymer and brass push-in fittings.

Titan Engineering S.p.A

Titan is a member of the Pneumax Group and is responsible for fittings and accessories across the worldwide Pneumax distribution network. Titan has a large manufacturing and warehouse capability together with expertise in managing supply agreements with local and International partners to bring a comprehensive portfolio of products to the global market.

Quality

We believe in quality not only as an end but as a behavioural style animated by an intense awareness and involvement.














On the basis of this premise the elements of our Quality System are: the COMPANY, the PERSON, the JOB. Authentic values which are indispensable points of reference for dealing with change and unpredictability.

Each component has an active part in a system where the company promotes respect for ethical values and the rights and dignity of persons, each person active for the good of the company, effective in personal growth and development, and contributing to a wider benefit in socio-economics.

Achieving ISO 9001:2015 + 14001:2015 and 45001:2018 certification is an additional guarantee to our customers, and above all the recognition in something we believe in.



Contents


6	PC	Male Stud Taper Thread		11	PLN	Compact Swivel Elbow Taper Thread	
	PC-G	Male Stud Parallel Thread			PLN-G	Compact Swivel Elbow Parallel Thread	
7	POC	Round Male Stud Taper Thread		12	PH	Male Banjo Elbow Taper Thread	
	PCF	Straight Female Adaptor Parallel Thread Metric			PHF	Male / Female Banjo Elbow Taper Thread	
	PCF-G	Straight Female Adaptor Parallel Thread			PHT-G(2)	Male Double Banjo Elbow Parallel Thread	
8	PL	Swivel Elbow Taper Thread		13	PB	Branch Swivel Tee Taper Thread	
	PL-G	Swivel Elbow Parallel Thread			PB-G	Branch Swivel Tee Parallel Thread	
9	PLF & PLF-G	Female Swivel Elbow Parallel Thread		14	PD	Run Swivel Tee Taper Thread	
	PL45-G	45° Swivel Elbow Parallel Thread			PD-G	Run Swivel Tee Parallel Thread	
10	PLL	Extended Swivel Elbow Taper Thread		15	PX	Male Stud Y Taper Thread	
	PLL-G	Extended Swivel Elbow Parallel Thread					

	PX-G	Male Stud Y Parallel Thread		20	PMF-G	Female Bulkhead Parallel Thread	
16	PV	Equal Elbow			PGJ	Stem Reducer	
	PE	Equal Tee			PLJ	Stem Elbow / Stem Elbow Reducer	
	PZ	Equal Cross		21	PP	Blanking Plug	
17	PY	Y Fitting / Y Fitting Reducer			PPF	Tube Blanking Cap	
	PYJ	Stem Y / Stem Y Reducer			SU	Flow Control Valves (in-line)	
	PXG	Double Y Connector		22	SC	Banjo Flow Control Valves (for cylinders) Taper Thread	
18	PKJ	Stem Multiple Tee			SC	Banjo Flow Control Valves (for valves) Taper Thread	
	PK	Multiple Tee / Multiple Tee Reducer		23	SC-G	Banjo Flow Control Valves (for cylinders) Parallel Thread	
19	PKD	Multiple Tee Male Taper Thread			SC-G	Banjo Flow Control Valves (for valves) Parallel Thread	
	PU	Straight Connector / Connector Reducer		24	Tubing		
	PM	Bulkhead Fittings					

Polymer and Brass Fittings


PC Male Stud Taper Thread

MODEL	ØD	R	L1	L2	O	↻	BOX	BAG
PC04-M5	4	M5	3.5	20.3	2	10	100	10
PC04-01	4	R1/8	7.5	20	3	10	100	10
PC04-02	4	R1/4	9.5	18	3	14	100	10
PC06-M5	6	M5	3.5	21	2	12	100	10
PC06-01	6	R1/8	7.5	20.5	4	12	100	10
PC06-02	6	R1/4	9.5	22.5	4	14	100	10
PC06-03	6	R3/8	10.5	20.5	4	17	100	10
PC08-01	8	R1/8	7.5	25.5	5	14	100	10
PC08-02	8	R1/4	9.5	24.5	5	14	100	10
PC08-03	8	R3/8	10.5	21.5	6	17	100	10
PC08-04	8	R1/2	13.5	25.5	6	21	50	10
PC10-01	10	R1/8	7.5	29.5	5	17	100	10
PC10-02	10	R1/4	9.5	31	6	17	100	10
PC10-03	10	R3/8	10.5	28.5	8	17	50	10
PC10-04	10	R1/2	13.5	26.5	8	21	50	10
PC12-01	12	R1/8	7.5	31	5	21	50	10
PC12-02	12	R1/4	9.5	33	6	21	50	10
PC12-03	12	R3/8	10.5	30	8	21	50	10
PC12-04	12	R1/2	13.5	32.5	8	21	50	10
PC16-03	16	R3/8	10.5	36.5	8	24	30	5
PC16-04	16	R1/2	13.5	38.5	10	24	30	5




PC-G Male Stud Parallel Thread

MODEL	ØD	G	D1	ØD2	L1	L2	O	↻	BOX	BAG
PC04-G01	4	G1/8	12	14	5.5	19.5	3	10	100	10
PC04-G02	4	G1/4	12	17	7.5	18.6	3	10	100	10
PC06-G01	6	G1/8	14	14	5.5	22	4	12	100	10
PC06-G02	6	G1/4	14	17	7.5	22.5	4	12	100	10
PC06-G03	6	G3/8	14	20	7.5	20.3	4	12	100	10
PC08-G01	8	G1/8	16	14	5.5	25	4	14	100	10
PC08-G02	8	G1/4	16	17	7.5	24	5	14	100	10
PC08-G03	8	G3/8	16	20	7.5	20.5	6	14	100	10
PC08-G04	8	G1/2	16	24	10	24	6	14	50	10
PC10-G01	10	G1/8	19.5	14	5.5	29	4	17	100	10
PC10-G02	10	G1/4	19.5	17	7.5	30.5	6	17	100	10
PC10-G03	10	G3/8	19.5	20	7.5	27	8	17	50	10
PC10-G04	10	G1/2	19.5	24	10	30	8	17	50	10
PC12-G02	12	G1/4	23	17	7.5	33	6	21	50	10
PC12-G03	12	G3/8	23	20	7.5	28	8	21	50	10
PC12-G04	12	G1/2	23	24	10	30.5	8	21	50	10
PC16-G03	16	G3/8	27	20	7.5	35	8	24	30	5
PC16-G04	16	G1/2	27	24	10	37	10	24	30	5




POC Round Male Stud Taper Thread

MODEL	ØD	R	L1	L2	ØD1	Ø	BOX	BAG
POC04-M5	4	M5	3.5	20.3	10	2	100	10
POC04-01	4	R1/8	7.5	20	10	3	100	10
POC06-M5	6	M5	3.5	21	12	2	100	10
POC06-01	6	R1/8	7.5	20.5	12	4	100	10
POC06-02	6	R1/4	9.5	22.5	14	4	100	10
POC08-01	8	R1/8	7.5	25.5	14	5	100	10
POC08-02	8	R1/4	9.5	24.5	14	5	100	10
POC08-03	8	R3/8	10.5	21.5	17	6	40	5
POC10-02	10	R1/4	9.5	31	17	6	50	10
POC10-04	10	R1/2	13.5	26.5	21	8	40	5
POC12-03	12	R3/8	10.5	30	21	8	40	5




PCF Straight Female Adaptor Parallel Thread Metric

MODEL	ØD	Rc	L1	L2	ØD1	Ø	BOX	BAG
PCF04-M5	4	M5	5.5	21	10	10	100	10




PCF-G Straight Female Adaptor Parallel Thread

MODEL	ØD	G	L1	L2	ØD1	Ø	BOX	BAG
PCF04-G01	4	G1/8	8.5	24	10	14	100	10
PCF04-G02	4	G1/4	11	26.5	10	17	100	10
PCF06-G01	6	G1/8	8.5	24.5	12	14	100	10
PCF06-G02	6	G1/4	11	27	12	17	100	10
PCF06-G03	6	G3/8	12	28	12	21	50	10
PCF08-G01	8	G1/8	8.5	26	14	14	100	10
PCF08-G02	8	G1/4	11	28.5	14	17	100	10
PCF08-G03	8	G3/8	12	29.5	14	21	40	5
PCF08-G04	8	G1/2	14	31.5	14	24	40	5
PCF10-G01	10	G1/8	8.5	29.5	17	17	50	10
PCF10-G02	10	G1/4	11	32.7	17	17	50	10
PCF10-G03	10	G3/8	12	33	17	21	40	5
PCF10-G04	10	G1/2	14	35.7	17	24	40	5
PCF12-G02	12	G1/4	11	33.5	20	21	40	5
PCF12-G03	12	G3/8	12	34.5	20	21	40	5
PCF12-G04	12	G1/2	14	36.5	20	24	30	5




PL Swivel Elbow Taper Thread

MODEL	ØD	R	L1	L2	L3	ØD1	↻	BOX	BAG
PL04-M5	4	M5	3.5	22.5	19	11.5	10	100	10
PL04-01	4	R1/8	7.5	25	19	11.5	10	100	10
PL04-02	4	R1/4	9.5	28	19	11.5	14	100	10
PL06-M5	6	M5	3.5	23.2	19.2	13.5	12	100	10
PL06-01	6	R1/8	7.5	25.7	19.2	13.5	12	100	10
PL06-02	6	R1/4	9.5	28.2	19.2	13.5	14	100	10
PL06-03	6	R3/8	10.5	29.7	19.2	13.5	17	50	10
PL08-01	8	R1/8	7.5	29	22.5	15	14	50	10
PL08-02	8	R1/4	9.5	31	22.5	15	14	50	10
PL08-03	8	R3/8	10.5	33	22.5	15	17	50	10
PL08-04	8	R1/2	13.5	36.5	22.5	15	21	40	10
PL10-01	10	R1/8	7.5	34.5	27.8	19	17	40	10
PL10-02	10	R1/4	9.5	36.5	27.8	19	17	40	10
PL10-03	10	R3/8	10.5	37.5	27.8	19	17	30	10
PL10-04	10	R1/2	13.5	41	27.8	19	21	30	10
PL12-01	12	R1/8	7.5	36	29.5	21.5	21	30	10
PL12-02	12	R1/4	9.5	38.5	29.5	21.5	21	30	10
PL12-03	12	R3/8	10.5	39.5	29.5	21.5	21	30	5
PL12-04	12	R1/2	13.5	42.5	29.5	21.5	21	25	5
PL16-03	16	R3/8	10.5	44	33	26.5	24	15	5
PL16-04	16	R1/2	13.5	47	33	26.5	24	15	5



PL-G Swivel Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	ØD1	↻	BOX	BAG
PL04-G01	4	G1/8	5.5	25.5	19	11.5	14	100	10
PL04-G02	4	G1/4	7.5	28	19	11.5	17	100	10
PL06-G01	6	G1/8	5.5	25.7	19.2	13.5	14	100	10
PL06-G02	6	G1/4	7.5	28.2	19.2	13.5	17	100	10
PL06-G03	6	G3/8	7.5	28.7	19.2	13.5	20	50	10
PL08-G01	8	G1/8	5.5	29	22.5	15	14	50	10
PL08-G02	8	G1/4	7.5	31.5	22.5	15	17	50	10
PL08-G03	8	G3/8	7.5	32	22.5	15	20	50	10
PL08-G04	8	G1/2	10	34.5	22.5	15	24	40	10
PL10-G01	10	G1/8	5.5	34	27.8	19	17	40	10
PL10-G02	10	G1/4	7.5	36.5	27.8	19	17	40	10
PL10-G03	10	G3/8	7.5	36.5	27.8	19	20	30	10
PL10-G04	10	G1/2	10	40	27.8	19	24	30	10
PL12-G02	12	G1/4	7.5	38.5	29.5	21.5	21	30	10
PL12-G03	12	G3/8	7.5	38.5	29.5	21.5	21	30	5
PL12-G04	12	G1/2	10	41.5	29.5	21.5	24	25	5
PL16-G03	16	G3/8	7.5	42.5	33	26.5	24	5	5
PL16-G04	16	G1/2	10	44.5	33	26.5	24	15	5




PLF & IPLF-G Female Swivel Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	ØD1	↗	BOX	BAG
PLF04-M5	4	M5	5.5	19.5	19	11.5	10	100	10
PLF04-G01	4	G1/8	8.5	23.3	19	11.5	14	100	10
PLF04-G02	4	G1/4	11	25.8	19	11.5	17	50	10
PLF06-M5	6	M5	5.5	19.2	19.2	13.5	12	100	10
PLF06-G01	6	G1/8	8.5	22.7	19.2	13.5	14	100	10
PLF06-G02	6	G1/4	11	25.7	19.2	13.5	17	50	10
PLF06-G03	6	G3/8	12	27.2	19.2	13.5	21	50	10
PLF08-G01	8	G1/8	8.5	25	22.5	15	14	50	10
PLF08-G02	8	G1/4	11	28.5	22.5	15	17	50	10
PLF08-G03	8	G3/8	12	30	22.5	15	21	30	5
PLF10-G02	10	G1/4	11	32.3	27.8	19	17	40	5
PLF10-G03	10	G3/8	12	33.8	27.8	19	21	30	5
PLF10-G04	10	G1/2	14	36.8	27.8	19	24	20	5




PL45-G 45° Swivel Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	L4	ØD1	↗	BOX	BAG
PL45 06-G01	6	G1/8	5.5	25.5	19.2	43.5	13.3	14	100	10
PL45 06-G02	6	G1/4	7.5	28	19.2	46	13.3	17	100	10
PL45 08-G01	8	G1/8	5.5	29	22.5	49.5	14.8	14	50	10
PL45 08-G02	8	G1/4	7.5	31.5	22.5	52	14.8	17	50	10



PLL Extended Swivel Elbow Taper Thread

MODEL	ØD	R	L1	L2	L3	ØD1	↗	BOX	BAG
PLL04-M5	4	M5	3.5	34.5	19	11.5	10	100	10
PLL04-01	4	R1/8	7.5	37	19	11.5	10	100	10
PLL04-02	4	R1/4	9.5	40	19	11.5	14	50	10
PLL06-M5	6	M5	3.5	36.5	19.2	13.5	12	100	10
PLL06-01	6	R1/8	7.5	39.7	19.2	13.5	12	50	10
PLL06-02	6	R1/4	9.5	42.2	19.2	13.5	14	50	10
PLL08-01	8	R1/8	7.5	44.8	22.5	15	14	50	10
PLL08-02	8	R1/4	9.5	46.8	22.5	15	14	50	10
PLL08-03	8	R3/8	10.5	49.9	22.5	15	17	40	5
PLL10-02	10	R1/4	9.5	56.5	27.8	19	17	30	5
PLL10-03	10	R3/8	10.5	57.5	27.8	19	17	20	5
PLL12-02	12	R1/4	9.5	61.5	29.5	21.5	21	20	5
PLL12-03	12	R3/8	10.5	62.5	29.5	21.5	21	20	5
PLL12-04	12	R1/2	13.5	65.5	29.5	21.5	21	20	5



PLL-G Extended Swivel Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	ØD1	↗	BOX	BAG
PLL04-G01	4	G1/8	5.5	37.5	19	11.5	14	100	10
PLL06-G01	6	G1/8	5.5	39.2	19.2	13.5	14	50	10
PLL08-G01	8	G1/8	5.5	44.3	22.5	15	14	50	10
PLL08-G02	8	G1/4	7.5	46.3	22.5	15	17	50	10




PLN Compact Swivel Elbow Taper Thread

MODEL	ØD	R	L1	L2	L3	ØD1	↻	BOX	BAG
PLN04-M5	4	M5	3.5	20	19	11.5	10	100	10
PLN04-01	4	R1/8	7.5	20.5	19	11.5	10	100	10
PLN04-02	4	R1/4	9.5	20	19	11.5	14	100	10
PLN06-M5	6	M5	3.5	21	19.2	13.5	10	100	10
PLN06-01	6	R1/8	7.5	21.5	19.2	13.5	10	100	10
PLN06-02	6	R1/4	9.5	21	19.2	13.5	14	100	10
PLN06-03	6	R3/8	10.5	22	19.2	13.5	17	50	10
PLN08-01	8	R1/8	7.5	22.2	22.5	15	12	50	10
PLN08-02	8	R1/4	9.5	21.7	22.5	15	14	50	10
PLN08-03	8	R3/8	10.5	22.7	22.5	15	17	50	10
PLN08-04	8	R1/2	13.5	26.2	22.5	15	21	40	10
PLN10-01	10	R1/8	7.5	26.9	27.8	19	14	40	10
PLN10-02	10	R1/4	9.5	28.4	27.8	19	14	40	10
PLN10-03	10	R3/8	10.5	24.7	27.8	19	17	30	10
PLN10-04	10	R1/2	13.5	28.2	27.8	19	21	30	10
PLN12-01	12	R1/8	7.5	28.2	29.5	21.5	15	30	10
PLN12-02	12	R1/4	9.5	29.7	29.5	21.5	15	30	10
PLN12-03	12	R3/8	10.5	26	29.5	21.5	17	30	5
PLN12-04	12	R1/2	13.5	29.5	29.5	21.5	21	25	5
PLN16-03	16	R3/8	10.5	35	34	26.5	20	15	5
PLN16-04	16	R1/2	13.5	34	34	26.5	21	15	5




PLN-G Compact Swivel Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	ØD1	↻	BOX	BAG
PLN04-G01	4	G1/8	5.5	22	19	11.5	14	100	10
PLN04-G02	4	G1/4	7.5	19.5	19	11.5	17	100	10
PLN06-G01	6	G1/8	5.5	23	19.2	13.5	14	100	10
PLN06-G02	6	G1/4	7.5	20.5	19.2	13.5	17	100	10
PLN06-G03	6	G3/8	7.5	21	19.2	13.5	20	50	10
PLN08-G01	8	G1/8	5.5	23.7	22.5	15	14	50	10
PLN08-G02	8	G1/4	7.5	21.2	22.5	15	17	50	10
PLN08-G03	8	G3/8	7.5	21.7	22.5	15	20	50	10
PLN08-G04	8	G1/2	10	24.2	22.5	15	24	40	10
PLN10-G01	10	G1/8	5.5	26	27.8	19	14	40	10
PLN10-G02	10	G1/4	7.5	28	27.8	19	17	40	10
PLN10-G03	10	G3/8	7.5	23.7	27.8	19	20	30	10
PLN10-G04	10	G1/2	10	26.2	27.8	19	24	30	10
PLN12-G02	12	G1/4	7.5	29.2	29.5	21.5	17	30	10
PLN12-G03	12	G3/8	7.5	25	29.5	21.5	20	30	5
PLN12-G04	12	G1/2	10	27.5	29.5	21.5	24	25	5
PLN16-G03	16	G3/8	7.5	33	34	26.5	20	15	5
PLN16-G04	16	G1/2	10	31.5	34	26.5	24	15	5




PH Male Banjo Elbow Taper Thread

MODEL	ØD	R	L1	L2	L3	L4	ØD	↻	BOX	BAG
PH04-M5	4	M5	3.5	10.7	17.3	20.5	11.5	8	100	10
PH04-01	4	R1/8	7.5	15	23	23.5	11.5	12	100	10
PH04-02	4	R1/4	9.5	16.8	26.3	25.5	11.5	14	50	10
PH06-M5	6	M5	3.5	11.7	17.3	22	13.5	8	100	10
PH06-01	6	R1/8	7.5	15	23	23.5	13.5	12	100	10
PH06-02	6	R1/4	9.5	16.2	26.3	25.4	13.5	14	50	10
PH06-03	6	R3/8	10.5	19	31.9	29.5	13.5	19	40	5
PH08-01	8	R1/8	7.5	15.7	23	26.5	15	12	50	10
PH08-02	8	R1/4	9.5	17.5	26.3	28.9	15	14	50	10
PH08-03	8	R3/8	10.5	19	31.9	29.8	15	19	40	5
PH10-02	10	R1/4	9.5	19.5	26.3	32.6	19	14	50	5
PH10-03	10	R3/8	10.5	21	31.9	33	19	19	30	5
PH10-04	10	R1/2	13.5	24.2	38.6	36	19	24	20	5
PH12-03	12	R3/8	10.5	22.2	31.9	35.5	21.5	19	20	5
PH12-04	12	R1/2	13.5	25.5	38.6	36.5	21.5	24	20	5




PHF Male / Female Banjo Elbow Taper Thread

MODEL	ØD	R	Rc	L1	L2	L3	L4	ØD1	↻	BOX	BAG
PHF04-M5	4	M5	M5	3.5	5.5	20	20.5	11.5	8	100	10
PHF04-01	4	R1/8	Rc1/8	7.5	8.5	29	23.5	11.5	14	100	10
PHF04-02	4	R1/4	Rc1/4	9.5	11	35	25.5	11.5	17	50	10
PHF06-01	6	R1/8	Rc1/8	7.5	8.5	29	23.5	13.5	14	50	10
PHF06-02	6	R1/4	Rc1/4	9.5	11	35	25.4	13.5	17	50	10
PHF08-01	8	R1/8	Rc1/8	7.5	8.5	29	26.5	15	14	50	10
PHF08-02	8	R1/4	Rc1/4	9.5	11	35	28.9	15	17	40	5
PHF08-03	8	R3/8	Rc3/8	10.5	12	40	29.8	15	21	20	5
PHF10-02	10	R1/4	Rc1/4	9.5	11	36	32.6	19	17	20	5
PHF10-03	10	R3/8	Rc3/8	10.5	12	40	33	19	21	20	5
PHF12-03	12	R3/8	Rc3/8	10.5	12	40	35.5	21.5	21	20	5
PHF12-04	12	R1/2	Rc1/2	13.5	14	47.5	36.5	21.5	24	15	5




PHT-G(2) Male Double Banjo Elbow Parallel Thread

MODEL	ØD	G	L1	L2	L3	L4	L5	ØD1	↻	BOX	BAG
PHT04-G01(2)	4	G1/8	5.5	14	15	38	23.5	11.5	12	50	10
PHT04-G02(2)	4	G1/4	7.5	17.3	15	41.5	25.5	11.5	14	50	10
PHT06-G01(2)	6	G1/8	5.5	14	15	38	23.5	13.5	12	50	10
PHT06-G02(2)	6	G1/4	7.5	17.3	15	41.5	25.4	13.5	14	30	10




PB Branch Swivel Tee Taper Thread

MODEL	ØD	R	L1	L2	L3	ØD1	↻	BOX	BAG
PB04-M5	4	M5	3.5	22.5	38	11.5	10	100	10
PB04-01	4	R1/8	7.5	25	38	11.5	10	100	10
PB04-02	4	R1/4	9.5	28	38	11.5	14	50	10
PB06-M5	6	M5	3.5	23.2	39	13.5	12	50	10
PB06-01	6	R1/8	7.5	25.7	39	13.5	12	50	10
PB06-02	6	R1/4	9.5	28.2	39	13.5	14	50	10
PB06-03	6	R3/8	10.5	29.7	39	13.5	17	40	10
PB08-01	8	R1/8	7.5	29.5	45	15	14	50	10
PB08-02	8	R1/4	9.5	31.5	45	15	14	50	10
PB08-03	8	R3/8	10.5	33	45	15	17	40	5
PB08-04	8	R1/2	13.5	36.5	45	15	21	20	5
PB10-01	10	R1/8	7.5	35	57	19	17	20	5
PB10-02	10	R1/4	9.5	37	57	19	17	20	5
PB10-03	10	R3/8	10.5	38	57	19	17	20	5
PB10-04	10	R1/2	13.5	41.8	57	19	21	20	5
PB12-02	12	R1/4	9.5	38.5	59	21.5	21	20	5
PB12-03	12	R3/8	10.5	39.5	59	21.5	21	20	5
PB12-04	12	R1/2	13.5	42.5	59	21.5	21	15	5
PB16-03	16	R3/8	10.5	44	66	26.5	24	10	5
PB16-04	16	R1/2	13.5	47	66	26.5	24	10	5




PB-G Branch Swivel Tee Parallel Thread

MODEL	ØD	G	L1	L2	L3	ØD1	↻	BOX	BAG
PB04-G01	4	G1/8	5.5	25.5	38	11	14	100	10
PB04-G02	4	G1/4	7.5	28	38	11	17	50	10
PB04-G03	4	G3/8	7.5	28.5	38	11	20	50	10
PB06-G01	6	G1/8	5.5	26.7	39	13	14	50	10
PB06-G02	6	G1/4	7.5	28.2	39	13	17	50	10
PB06-G03	6	G3/8	7.5	28.7	39	13	20	40	10
PB08-G01	8	G1/8	5.5	29	45	14.5	14	50	10
PB08-G02	8	G1/4	7.5	31.5	45	14.5	17	50	10
PB08-G03	8	G3/8	7.5	32	45	14.5	20	40	5
PB10-G01	10	G1/8	5.5	34.5	57	18.4	17	20	5
PB10-G02	10	G1/4	7.5	37	57	18.4	17	20	5
PB10-G03	10	G3/8	7.5	37	57	18.4	20	20	5
PB10-G04	10	G1/2	10	40.5	57	18.4	24	20	5
PB12-G02	12	G1/4	7.5	38.5	59	21	21	20	5
PB12-G03	12	G3/8	7.5	38.5	59	21	21	20	5
PB12-G04	12	G1/2	10	41.5	59	21	24	15	5
PB16-G03	16	G3/8	7.5	42.5	66	26	24	10	5
PB16-G04	16	G1/2	10	44.5	66	26	24	10	5




PD Run Swivel Tee Taper Thread

MODEL	ØD	R	L1	L2	L3	L4	ØD1	↻	BOX	BAG
PD04-M5	4	M5	3.5	22.5	41.5	19	11.5	10	100	10
PD04-01	4	R1/8	7.5	25	44	19	11.5	10	100	10
PD04-02	4	R1/4	9.5	28	47	19	11.5	14	50	10
PD06-M5	6	M5	3.5	23.2	42.4	19.2	13.5	12	50	10
PD06-01	6	R1/8	7.5	25.7	44.9	19.2	13.5	12	50	10
PD06-02	6	R1/4	9.5	28.2	47.5	19.2	13.5	14	50	10
PD06-03	6	R3/8	10.5	29.7	49	19.2	13.5	17	50	10
PD08-01	8	R1/8	7.5	29.5	52	22.5	15	14	50	10
PD08-02	8	R1/4	9.5	31.5	54	22.5	15	14	50	10
PD08-03	8	R3/8	10.5	33	55.5	22.5	15	17	40	5
PD08-04	8	R1/2	13.5	36.5	59	22.5	15	21	20	5
PD10-01	10	R1/8	7.5	35	63	27.8	19	17	20	5
PD10-02	10	R1/4	9.5	37	65.5	27.8	19	17	20	5
PD10-03	10	R3/8	10.5	38	66.5	27.8	19	17	20	5
PD10-04	10	R1/2	13.5	41.5	70	27.8	19	21	20	5
PD12-02	12	R1/4	9.5	38.5	68	29.5	21.5	21	20	5
PD12-03	12	R3/8	10.5	39.5	69	29.5	21.5	21	20	5
PD12-04	12	R1/2	13.5	42.5	72	29.5	21.5	21	15	5



PD-G Run Swivel Tee Parallel Thread

MODEL	ØD	G	L1	L2	L3	L4	ØD1	↻	BOX	BAG
PD04-G01	4	G1/8	5.5	25.5	44.5	19	11.5	14	100	10
PD04-G02	4	G1/4	7.5	28	47	19	11.5	17	50	10
PD06-G01	6	G1/8	5.5	25.7	44.9	19.2	13.5	14	50	10
PD06-G02	6	G1/4	7.5	28.2	47.5	19.2	13.5	17	50	10
PD06-G03	6	G3/8	7.5	28.7	48	19.2	13.5	20	40	10
PD08-G01	8	G1/8	5.5	29	51.5	22.5	15	14	50	10
PD08-G02	8	G1/4	7.5	31.5	54	22.5	15	17	50	10
PD08-G03	8	G3/8	7.5	32	54.5	22.5	15	20	40	5
PD08-G04	8	G1/2	10	34.5	57	22.5	15	24	20	5
PD10-G01	10	G1/8	5.5	34.5	63	27.8	19	17	20	5
PD10-G02	10	G1/4	7.5	37	65.5	27.8	19	17	20	5
PD10-G03	10	G3/8	7.5	37	65.5	27.8	19	20	20	5
PD10-G04	10	G1/2	10	40.5	69	27.8	19	24	20	5
PD12-G01	12	G1/8	5.5	36	65.5	29.5	21.5	21	20	5
PD12-G02	12	G1/4	7.5	38.5	68	29.5	21.5	21	20	5
PD12-G03	12	G3/8	7.5	38.5	68	29.5	21.5	21	20	5
PD12-G04	12	G1/2	10	41.5	71	29.5	21.5	24	15	5




PX Male Stud Y Taper Thread

MODEL	ØD	R	L1	L2	L3	L4	ØD1	ØD2	↗	BOX	BAG
PX04-M5	4	M5	3.5	11	40	14.5	11.5	3.2	10	100	10
PX04-01	4	R1/8	7.5	11	42.5	14.5	11.5	3.2	10	100	10
PX04-02	4	R1/4	9.5	11	45.5	14.5	11.5	3.2	14	50	10
PX04-03	4	R3/8	10.5	11	47	14.5	11.5	3.2	17	50	10
PX06-M5	6	M5	3.5	13	41.5	15	13.5	3.2	12	50	10
PX06-01	6	R1/8	7.5	13	44	15	13.5	3.2	12	50	10
PX06-02	6	R1/4	9.5	13	46.5	15	13.5	3.2	14	50	10
PX06-03	6	R3/8	10.5	13	48	15	13.5	3.2	17	40	10
PX08-01	8	R1/8	7.5	15	46.5	18	15	3.2	14	50	10
PX08-02	8	R1/4	9.5	15	48.5	18	15	3.2	14	50	10
PX08-03	8	R3/8	10.5	15	50	18	15	3.2	17	40	5
PX08-04	8	R1/2	13.5	15	53.5	18	15	3.2	21	20	5
PX10-01	10	R1/8	7.5	18	56.5	21	19	4.2	17	20	5
PX10-02	10	R1/4	9.5	18	58.5	21	19	4.2	17	20	5
PX10-03	10	R3/8	10.5	18	59.5	21	19	4.2	17	20	5
PX10-04	10	R1/2	13.5	18	63	21	19	4.2	21	20	5
PX12-02	12	R1/4	9.5	21	62	21.5	21.5	4.2	21	20	5
PX12-03	12	R3/8	10.5	21	63	21.5	21.5	4.2	21	20	5
PX12-04	12	R1/2	13.5	21	66	21.5	21.5	4.2	21	15	5




PX-G Male Stud Y Parallel Thread

MODEL	ØD	G	L1	L2	L3	L4	ØD1	ØD2	↗	BOX	BAG
PX04-G01	4	G1/8	5.5	11	43	14.5	11.5	3.2	14	100	10
PX04-G02	4	G1/4	7.5	11	45.5	14.5	11.5	3.2	17	50	10
PX04-G03	4	G3/8	7.5	11	46	14.5	11.5	3.2	20	50	10
PX06-G01	6	G1/8	5.5	13	44	15	13.5	3.2	14	50	10
PX06-G02	6	G1/4	7.5	13	46.5	15	13.5	3.2	17	50	10
PX06-G03	6	G3/8	7.5	13	47	15	13.5	3.2	20	40	10
PX08-G01	8	G1/8	5.5	15	46.3	18	15	3.2	14	50	10
PX08-G02	8	G1/4	7.5	15	48.8	18	15	3.2	17	50	10
PX08-G03	8	G3/8	7.5	15	49.3	18	15	3.2	20	40	5
PX08-G04	8	G1/2	10	15	51.8	18	15	3.2	24	20	5
PX10-G01	10	G1/8	5.5	18	56	21	19	4.2	17	20	5
PX10-G02	10	G1/4	7.5	18	58.5	21	19	4.2	17	20	5
PX10-G03	10	G3/8	7.5	18	58.5	21	19	4.2	20	20	5
PX10-G04	10	G1/2	10	18	62	21	19	4.2	24	20	5
PX12-G02	12	G1/4	7.5	21	62	21.5	21.5	4.2	21	20	5
PX12-G03	12	G3/8	7.5	21	62	21.5	21.5	4.2	21	20	5
PX12-G04	12	G1/2	10	21	65	21.5	21.5	4.2	24	15	5




PV Equal Elbow

MODEL	ØD	ØD1	ØD2	L1	L2	BOX	BAG
PV04	4	11.5	3.2	19	7	100	10
PV06	6	13.5	3.2	19.2	8	100	10
PV08	8	15	3.2	22.5	9.5	100	10
PV10	10	19	4.2	27.8	12	50	10
PV12	12	21.5	4.2	29.5	13	40	10
PV16	16	26.5		33		20	5




PE Equal Tee

MODEL	ØD	ØD1	ØD2	ØD3	L1	L2	L3	L4	BOX	BAG
PE04	4	4	11.5	3.2	38	14	19	7	100	10
PE06	6	6	13.5	3.2	39	16	19.2	8	50	10
PE08	8	8	15	3.2	45	18	22.5	9	50	10
PE10	10	10	19	4.2	57	24	27.8	12	30	10
PE12	12	12	21.5	4.3	59	26	29.5	13	20	5
PE16	16	16	26.5		64		32		10	5




PZ Equal Cross

MODEL	ØD	ØD1	ØD2	L1	L2	L3	BOX	BAG
PZ04	4	11.5	3.2	38	14	7	50	10
PZ06	6	13.5	3.2	39	16	8	50	10
PZ08	8	15	3.2	45	18	9.5	40	10
PZ10	10	19	4.2	57	24	12	20	5
PZ12	12	21.5	4.3	59	26	13	15	5




PY Y Fitting / Y Fitting Reducer

MODEL	ØD	ØD1	ØD2	ØD3	L1	L2	L3	BOX	BAG
PY04	4	4	11.5	3.2	36.5	11	14.5	100	10
PY06	6	6	13.5	3.2	37.5	13	15	50	10
PY08	8	8	15	3.2	39.8	15	18	50	10
PY10	10	10	19	4.2	50	18	21	30	10
PY12	12	12	21.5	4.2	53	21	21.5	20	5
PY06-04	6	4	13.5	3.2	37.5	13	15	100	10
PY08-06	8	6	15	3.2	39.8	15	18	50	10
PY10-08	10	8	19	4.2	50	18	21	30	10
PY12-10	12	10	21.5	4.2	53	21	21.5	20	5




PYJ Stem Y / Stem Y Reducer

MODEL	ØD	ØD1	ØD2	ØD3	L1	L2	L3	L4	BOX	BAG
PYJ04	4	4	11.5	3.2	52.5	33.5	14.5	11	100	10
PYJ06	6	6	13.5	3.2	53.8	34.8	15	13	50	10
PYJ08	8	8	15	3.2	57.8	37.3	18	15	50	10
PYJ10	10	10	19	4.2	71	46.5	21	18	20	5
PYJ12	12	12	21.5	4.2	75.5	49.5	21.5	21	20	5
PYJ06-04	4	6	11.5	3.2	52.8	33.8	14.5	11	50	10
PYJ08-06	6	8	13.5	3.2	55.5	35	15	13	50	10
PYJ10-08	8	10	15	3.2	62	37.3	18	15	15	5
PYJ12-10	10	12	19	4.2	72.5	46.5	21	18	30	5




PXG Double Y Connector

MODEL	ØD	ØD1	ØD2	ØD3	ØD4	L	L1	L2	BOX	BAG
PXG06-04	6	4	13.3	11.3	3.2	11	36.5	15	40	10
PXG08	8	8	14.8	14.8	3.2	15	41	16.5	30	10
PXG08-04	8	4	14.8	11.3	3.2	11	38.5	15	30	10
PXG08-06	8	6	14.8	13.3	3.2	13	40	15.5	30	10




PKJ Stem Multiple Tee

MODEL	ØD	ØD1	L	L1	L2	L3	H1	H2	ØD2	ØD3	BOX	BAG
PKJ06-04	6	4	77	19	42	26	20	9	14.5	3.2	20	10
PKJ08-04	8	4	80	20.5	42	26	20	9	14.5	3.2	15	5
PKJ08-06	8	6	80	20.5	42	26	20	9	14.5	3.2	15	5
PKJ10-08	10	8	103.5	24.5	48	29	24	11	18.5	4.2	10	5




PK Multiple Tee / Multiple Tee Reducer

MODEL	ØD	ØD1	ØD2	ØD3	ØD4	L1	L2	L3	H1	H2	BOX	BAG
PK04	4	4	14.5	14.5	3.2	60	42	26	19	9	50	10
PK06	6	6	14.5	14.5	3.2	60	42	26	20.5	9	30	10
PK08	8	8	18.5	18.5	4.2	82	48	29	24	11	20	5
PK10	10	10	18.5	18.5	4.2	93	61	37	27.5	12	15	5
PK06-04	6	4	14.5	14.5	3.2	60	42	26	19.5	9	30	10
PK08-04	8	4	14.5	14.5	3.2	62	42	26	20.5	9	20	5
PK08-06	8	6	14.5	14.5	3.2	62	42	26	20.5	9	20	5
PK10-06	10	6	18.5	18.5	4.2	83	48	29	24	11	15	5
PK10-08	10	8	18.5	18.5	4.2	83	48	29	24	11	15	5



PKD Multiple Tee Male Taper Thread

MODEL	ØD	R	L1	L	L2	L3	ØD1	ØD2	H1	H2	↻	BOX	BAG
PKD06-01	6	R1/8	7.5	70	42	26	14.5	3.2	20.5	9	12	30	10
PKD08-02	8	R1/4	9.5	91	48	29	18.4	4.2	24	11	14	20	5
PKD10-03	10	R3/8	10.5	103	60.8	36.8	18.4	4.2	27.5	12	17	15	5




PU Straight Connector / Connector Reducer

MODEL	ØD	ØD1	ØD2	ØD3	L	BOX	BAG
PU04	4	4	11	11	34	100	10
PU06	6	6	13.5	13.5	35.5	100	10
PU08	8	8	15	15	38.5	100	10
PU10	10	10	19	19	48	50	10
PU12	12	12	21.5	21.5	49	40	10
PU16	16	16	26.5	26.5	64	20	5
PU06-04	6	4	13.5	11.5	34.5	100	10
PU08-04	8	4	15	13.5	36.5	100	10
PU08-06	8	6	15	13.5	36.5	100	10
PU10-08	10	8	19	15	44	50	10
PU12-08	12	8	21.5	19	48	40	10
PU12-10	12	10	21.5	19	49	40	10
PU16-12	16	12	26.5	26.5	64	20	5




PM Bulkhead Fittings

MODEL	ØD	ØD1	M	L	L1	L2	↻	BOX	BAG
PM04	4	10	M12X1	30.5	9.5	10	14	100	10
PM06	6	12	M14X1	31	7.5	10.6	17	100	10
PM08	8	14	M16X1	34.5	6.5	12	19	50	10
PM10	10	17	M20X1	41.5	11.5	12	24	40	5
PM12	12	20	M22X1	44.5	12.5	13.5	26	30	5




PMF-G Female Bulkhead Parallel Thread


MODEL	ØD	G	L	L1	L2	ØD1	¹	²	M	BOX	BAG
PMF04-G01	4	G1/8	24	8.5	6	10	14	14	M12X1	100	10
PMF04-G02	4	G1/4	26.5	11	6	10	17	14	M12X1	100	10
PMF06-G01	6	G1/8	24.8	8.5	7	12	17	17	M14X1	100	10
PMF06-G02	6	G1/4	29.5	11	7	12	17	17	M14X1	50	10
PMF08-G01	8	G1/8	26.5	8.5	7.5	14	19	19	M16X1	50	10
PMF08-G02	8	G1/4	32	11	7.5	14	19	19	M16X1	50	10
PMF08-G03	8	G3/8	34.3	12	7.5	14	21	19	M16X1	50	5
PMF10-G02	10	G1/4	32.5	11	9.5	17	24	24	M20X1	30	5
PMF10-G03	10	G3/8	34	12	9.5	17	24	24	M20X1	30	5
PMF12-G02	12	G1/4	34	11	10	20	24	26	M22X1	30	5
PMF12-G03	12	G3/8	35	12	10	20	24	26	M22X1	30	5
PMF12-G04	12	G1/2	37	14	10	20	24	26	M22X1	30	5


PGJ Stem Reducer

MODEL	ØD	ØD1	ØD2	L1	L2	BOX	BAG
PGJ06-04	4	6	10	16	35	100	10
PGJ08-04	4	8	10	13	34	100	10
PGJ08-06	6	8	12	15.5	36	100	10
PGJ10-06	6	10	12	16.8	41	100	10
PGJ10-08	8	10	14	17.5	42	50	10
PGJ12-06	6	12	13.5	13.5	38.5	50	10
PGJ12-08	8	12	14	17.5	42.5	50	10
PGJ12-10	10	12	17	21	46	50	10


PLJ Stem Elbow / Stem Elbow Reducer

MODEL	ØD	ØD1	ØD2	L1	L2	BOX	BAG
PLJ04	4	4	11.5	33.7	19	100	10
PLJ06	6	6	13.5	34	19.2	100	10
PLJ08	8	8	15	38.5	22.5	50	10
PLJ10	10	10	19	46.8	27.8	40	5
PLJ12	12	12	21.5	49.5	29.5	20	5
PLJ06-04	4	6	11.5	34	19	100	10
PLJ08-06	6	8	13.5	35.7	19.2	50	10
PLJ10-08	8	10	15	42.5	22.5	40	5
PLJ12-10	10	12	19	48.3	27.8	20	5




PP Blanking Plug

MODEL	ØD	ØD1	ØD2	L1	L2	BOX	BAG
PP04	4	5	3	15	28	100	10
PP06	6	7	3	17	33	100	10
PP08	8	9	4	18	37	100	10
PP10	10	11	5	20.5	42	100	10
PP12	12	13	6	23	44	100	10




PPF Tube Blanking Cap

MODEL	ØD	ØD1	L	BOX	BAG
PPF-04	4	11.5	17.5	100	10
PPF-06	6	13.5	17.7	100	10
PPF-08	8	15	21.3	100	10
PPF-10	10	19	25	100	10
PPF-12	12	21.5	26	50	10




SU Flow Control Valves (in-line)

MODEL	ØD	ØD1	L	L2	L3	ØD2	L1	BOX	BAG
SU04	4	10.5	40.5	16	6.5	3.2	14	100	10
SU06	6	12.5	48.7	25.5	8.5	4.3	20	50	5
SU08	8	14	54.4	25	9.5	4.3	22	30	5
SU10	10	18	64.3	29.5	10.5	4.3	26	15	5
SU12	12	20.6	74.6	27.5	13	4.3	32	10	5




SC Banjo Flow Control Valves (for cylinders) Taper Thread

MODEL	ØD	R	L1	L2	L3(max)	L4	ØD1	↻	BOX	BAG
SC04-M5	4	M5	3.2	10.5	32	20.5	11.5	8	100	10
SC04-01	4	R1/8	6.4	14	42	23.5	11.5	12	100	10
SC04-02	4	R1/4	10	18	48	25.5	11.5	14	50	10
SC06-M5	6	M5	3.2	10.5	32	22	13.5	8	100	10
SC06-01	6	R1/8	6.4	14	42	23.5	13.5	12	100	10
SC06-02	6	R1/4	10	18	48	25.4	13.5	14	50	10
SC06-03	6	R3/8	11.4	20.5	53	29.5	13.5	19	30	5
SC08-01	8	R1/8	6.4	14.5	42	26.5	15	12	50	10
SC08-02	8	R1/4	10	19	48	28.9	15	14	50	10
SC08-03	8	R3/8	11.4	20.5	53	29.8	15	19	30	5
SC08-04	8	R1/2	14	25.5	61	32.5	15	24	20	5
SC10-02	10	R1/4	10	20	48	32.6	19	14	30	5
SC10-03	10	R3/8	11.4	22.5	53	33	19	19	30	5
SC10-04	10	R1/2	14	25.5	61	36	19	24	15	5
SC12-03	12	R3/8	11.4	24	53	35.5	21.5	19	20	5
SC12-04	12	R1/2	14	30	61	36.5	21.5	24	15	5




SC (B) Banjo Flow Control Valves (for valves) Taper Thread

MODEL	ØD	R	L1	L2	L3(max)	L4	ØD1	↻	BOX	BAG
SC04-M5(B)	4	M5	3.2	10.5	32	20.5	11.5	8	100	10
SC04-01(B)	4	R1/8	6.4	14	42	23.5	11.5	12	100	10
SC04-02(B)	4	R1/4	10	18	48	25.5	11.5	14	50	10
SC06-M5(B)	6	M5	3.2	10.5	32	22	13.5	8	100	10
SC06-01(B)	6	R1/8	6.4	14	42	23.5	13.5	12	100	10
SC06-02(B)	6	R1/4	10	18	48	25.4	13.5	14	50	10
SC06-03(B)	6	R3/8	11.4	20.5	53	29.5	13.5	19	30	5
SC08-01(B)	8	R1/8	6.4	14.5	42	26.5	15	12	50	10
SC08-02(B)	8	R1/4	10	19	48	28.9	15	14	50	10
SC08-03(B)	8	R3/8	11.4	20.5	53	29.8	15	19	30	5
SC10-02(B)	10	R1/4	10	20	48	32.6	19	14	30	5
SC10-03(B)	10	R3/8	11.4	22.5	53	33	19	19	30	5
SC10-04(B)	10	R1/2	14	25.5	61	36	19	24	15	5
SC12-03(B)	12	R3/8	11.4	24	53	35.5	21.5	19	20	5
SC12-04(B)	12	R1/2	14	30	61	36.5	21.5	24	15	5




SC-G Banjo Flow Control Valves (for cylinders) Parallel Thread

MODEL	ØD	G	L1	L2	L3(max)	L4	ØD1	↻	BOX	BAG
SC04-G01	4	G1/8	5.5	14	42	23.5	11.5	12	100	10
SC06-G01	6	G1/8	5.5	14	42	23.5	13.5	12	100	10
SC06-G02	6	G1/4	7.5	18	48	25.4	13.5	14	50	10
SC06-G03	6	G3/8	7.5	20.5	53	29.5	13.5	19	30	5
SC08-G01	8	G1/8	5.5	14.5	42	26.5	15	12	50	10
SC08-G02	8	G1/4	7.5	19	48	28.9	15	14	50	10
SC08-G03	8	G3/8	7.5	20.5	53	29.8	15	19	30	5
SC08-G04	8	G1/2	10	25.5	61	32.5	15	24	20	5
SC10-G01	10	G1/8	5.5	17.5	42	30.3	19	12	50	5
SC10-G02	10	G1/4	7.5	20	48	32.6	19	14	30	5
SC10-G03	10	G3/8	7.5	22.5	53	33	19	19	30	5
SC10-G04	10	G1/2	10	25.5	61	36	19	24	15	5
SC12-G02	12	G1/4	7.5	20	48	33.5	21.5	14	20	5
SC12-G03	12	G3/8	7.5	24	53	35.5	21.5	19	20	5
SC12-G04	12	G1/2	10	30	61	36.5	21.5	24	15	5



SC-G (B) Banjo Flow Control Valves (for valves) Parallel Thread

MODEL	ØD	G	L1	L2	L3(max)	L4	ØD1	↻	BOX	BAG
SC04-G01(B)	4	G1/8	5.5	14	42	23.5	11.5	12	100	10
SC06-G01(B)	6	G1/8	5.5	14	42	23.5	13.5	12	100	10
SC06-G02(B)	6	G1/4	7.5	18	48	25.4	13.5	14	50	10
SC06-G03(B)	6	G3/8	7.5	20.5	53	29.5	13.5	19	30	5
SC08-G01(B)	8	G1/8	5.5	14.5	42	26.5	15	12	50	10
SC08-G02(B)	8	G1/4	7.5	19	48	28.9	15	14	50	10
SC08-G03(B)	8	G3/8	7.5	20.5	53	29.8	15	19	30	5
SC08-G04(B)	8	G1/2	10	25.5	61	32.5	15	24	20	5
SC10-G02(B)	10	G1/4	7.5	20	48	32.6	19	14	30	5
SC12-G04(B)	12	G1/2	10	30	61	36.5	21.5	24	15	5





Tubing


Titan offer an extensive range of polyurethane, polyamide and superflex tubing suitable for liquids, gases and compressed air.

Contact us for further information.











Pneumax GmbH

Tantalstraße 4
63571 Gelnhausen
Deutschland
Tel. +49 (0) 06051 - 9777-0
Fax +49 (0) 06051 - 9777-55
info@pneumax-gmbh.de
www.pneumax.de